

# MILLIMETER WAVE RECTANGULAR TE<sub>10</sub> WAVEGUIDE INFORMATION

WG Band	Waveguide Frequency Range (GHz)	Wavelength Range $\lambda_0$ (mil)	Wavelength Range $\lambda_0$ (mm)	Guide Wavelength Range ( $\lambda_g/\lambda_0$ )	Waveguide Impedance Range ( $\Omega$ )	TE <sub>10</sub> Cutoff Freq (GHz)	TE <sub>10</sub> Cutoff $\lambda_c$ (mil)	TE <sub>10</sub> Cutoff $\lambda_c$ (mm)	Internal Dimensions (mils)	Internal Dimensions (mm)
WR-28	26.5 - 40.0	445.4 - 295.1	11.313 - 7.495	1.650 - 1.177	621.9 - 443.6	21.1	560.0	14.22	280.0 x 140.0	7.112 x 3.556
WR-22	33.0 - 50.0	357.7 - 236.1	9.085 - 5.996	1.661 - 1.177	626.0 - 443.6	26.3	448.0	11.38	224.0 x 112.0	5.690 x 2.845
WR-19	40.0 - 60.0	295.1 - 196.7	7.495 - 4.997	1.613 - 1.173	608.3 - 442.4	31.4	376.0	9.55	188.0 x 94.0	4.775 x 2.388
WR-15	50.0 - 75.0	236.1 - 157.4	5.996 - 3.997	1.657 - 1.181	624.8 - 445.1	39.9	296.0	7.52	148.0 x 74.0	3.759 x 1.880
WR-12	60.0 - 90.0	196.7 - 131.1	4.997 - 3.331	1.690 - 1.186	637.2 - 447.1	48.4	244.0	6.20	122.0 x 61.0	3.099 x 1.549
WR-10	75.0 - 110.0	157.4 - 107.3	3.997 - 2.725	1.620 - 1.185	610.9 - 446.7	59.0	200.0	5.08	100.0 x 50.0	2.50 x 1.270
WR-08	90.0 - 140.0	131.1 - 84.3	3.331 - 2.141	1.746 - 1.177	658.1 - 443.6	73.8	160.0	4.06	80.0 x 40.0	2.032 x 1.016
WR-06	110.0 - 170.0	107.3 - 69.4	2.725 - 1.763	1.771 - 1.183	667.7 - 445.9	90.8	130.0	3.30	65.0 x 32.5	1.651 x 0.826
WR-05	140.0 - 220.0	84.3 - 53.6	2.141 - 1.363	1.777 - 1.176	669.7 - 443.3	115.7	102.0	2.59	51.0 x 25.5	1.295 x 0.648
WR-04	170.0 - 260.0	69.4 - 45.4	1.763 - 1.153	1.695 - 1.177	638.8 - 443.9	137.2	86.0	2.18	43.0 x 21.5	1.092 x 0.546
WR-03	220.0 - 325.0	53.6 - 36.3	1.363 - 0.922	1.627 - 1.183	613.5 - 445.9	173.6	68.0	1.73	34.0 x 17.0	0.864 x 0.432
WR-02.8	260.0 - 400.0	45.4 - 29.5	1.153 - 0.749	1.708 - 1.177	643.8 - 443.6	210.8	56.0	1.42	28.0 x 14.0	0.711 x 0.356
WR-02.2	325.0 - 500.0	36.3 - 23.6	0.922 - 0.600	1.771 - 1.185	667.7 - 446.7	268.2	44.0	1.12	22.0 x 11.0	0.559 x 0.279
WR-01.9	400.0 - 600.0	29.5 - 19.7	0.749 - 0.500	1.587 - 1.169	598.3 - 440.6	310.6	38.0	0.97	19.0 x 9.5	0.483 x 0.241
WR-01.5	500.0 - 750.0	23.6 - 15.7	0.600 - 0.400	1.620 - 1.175	610.9 - 442.8	393.4	30.0	0.76	15.0 x 7.5	0.381 x 0.191
WR-01.2	600.0 - 900.0	19.7 - 13.1	0.500 - 0.333	1.746 - 1.194	658.1 - 450.1	491.8	24.0	0.61	12.0 x 6.0	0.305 x 0.152
WR-01.0	750.0 - 1100.0	15.7 - 10.7	0.400 - 0.273	1.620 - 1.185	610.9 - 446.7	590.1	20.0	0.51	10.0 x 5.0	0.254 x 0.127

*Innovation in Millimeter Wave Measurements*

[www.omlinc.com](http://www.omlinc.com)

(408) 779-2698

